

EAST

L Number	Hits	Search Text	DB	Time stamp
-	493	((peer\$1peer or peer or p2p) adj network and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:21
-	3921	(709/224,213,216).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 19:30
-	26	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and (709/224,213,216).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 19:30
-	175	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and (display\$3 or transmit\$5) near6 (topology or connection or maximum or current of classification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:21
-	52	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and (display\$3 or transmit\$5) near6 (topology or connection or maximum or current of classification) near2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 19:37
-	26	((peer\$1peer or peer or p2p) adj network and @ad<20001207) and (display\$3 or transmit\$5) near6 (topology or load or maximum or current of classification) near2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 19:38
-	20	(peer\$1peer or p2p) same (application or (user adj interface) or gui) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 19:41
-	1	infrasearch or gonesilent and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:05
-	2	("6636854").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 10:15
-	4	("6081518" "6336138" "6477580" "6529909").PN.	USPAT	2004/04/30 10:16
-	2724	(709/227,228).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:05
-	203	((709/227,228).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:15
-	40	((709/227,228).CCLS.) and (node or computer or terminal or client or server) near4 characteri\$7 near3 (data or information or message or thumbnail) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:07

-	2	((709/227,228).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) same peer and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:09
-	14	((709/227,228).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) and peer adj2 network and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:15
-	1181	(709/213,248).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:14
-	0	((709/213,248).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) and peer adj2 network and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 11:15
-	76	((709/213,248).CCLS.) and characteri\$7 near3 (data or information or message or thumbnail) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:05
-	30	jxta	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:30
-	2	((709/213,248).CCLS.) and node adj characteristics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:31
-	28203	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:31
-	215	((("709").CLAS.) and node near2 (characteristics or description) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:32
-	8	((("709").CLAS.) and node near2 (characteristics or description) and @ad<20001207) and ((peer adj peer) or p2p)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:34
-	96	((("709").CLAS.) and ((peer adj peer) or p2p) and (schedule or (maximum adj connection) or fan\$1in or fan\$1out)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:35
-	34	((("709").CLAS.) and ((peer adj peer) or p2p) and (schedule or (maximum adj connection) or fan\$1in or fan\$1out) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:03
-	11	((("709").CLAS.) and ((peer adj peer) or p2p) and (schedule or (maximum adj connection) or fan\$1in or fan\$1out) same (node or connected) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:37

-	4	((peer adj peer) or p2p) and (gui or interface or dispaly) same (schedule or (maximum adj connection) or fan\$1in or fan\$1out) same (node or connected) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:39
-	15	((("709").CLAS.) and data adj shar\$3 adj application and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:41
-	5	((("709").CLAS.) and gnutella and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:45
-	67	("4912656" "5056085" "5058105" "5079767" "5117422" "5309437" "5426637" "5459725" "5471623" "5535199" "5568487" "5636371" "5644714" "5673265" "5696903" "5732074" "5732086" "5732219" "5734865" "5737526" "5754830" "5761425" "5764756" "5790548" "5790553" "5799016" "5802285" "5850592" "5864711" "5867660" "5867667" "5870605" "5874960" "5899980" "5907610" "5925097" "5928335" "5935215" "5948054" "5949975" "5956484" "5970232" "5974043" "5987506" "6003088" "6013107" "6023734" "6029171" "6032188" "6038602" "6047289" "6094676" "6115580" "6167432" "6173314" "6199116" "6216177" "6223212" "6243691" "6268855" "6271839" "6272548" "6285363" "6304928" "6321270" "6463078" "6524189" "2002/0027896").PN.	USPAT	2004/04/30 12:44
-	13	((("709").CLAS.) and user adj3 (select\$3 or choos\$4) with (node or computer or connection) same based adj3 (charateristics or information or optimal or load) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:57
-	0	((("709").CLAS.) and (upon or once or when) near4 (connect\$3) with automatic\$6 adj (sen\$4 or transmit\$5) with (characteristics or description or describing) near4 (node or terminal or computer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:34
-	13	((("709").CLAS.) and (upon or response) near4 (connect\$3) same (characteristics or description or describing) near4 (node or terminal or computer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:57
-	17	((("709").CLAS.) and user adj3 (select\$3 or choos\$4) with (node or computer or connection) same based adj3 (characteristics or information or optimal or load) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:57
-	0	((("709").CLAS.) and (upon or once or when) near4 (connect\$3) with automatic\$6 adj (sen\$4 or transmit\$5) with (characteristics or description or describing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:58
-	5	((("709").CLAS.) and (upon or once or when) near4 (connect\$3) with (sen\$4 or transmit\$5) with (characteristics or description or describing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
-	73	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) same (sen\$4 or transmit\$5) near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:04

-	32	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) with (sen\$4 or transmit\$5) near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:42
-	0	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) same (automatic\$5 near6 request\$3) near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:43
-	8	((709/227,228).CCLS.) and (upon or once or when) near4 (connect\$3) with request\$4 near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:50
-	29	((709/227,228).CCLS.) and (connect\$3) same automatic\$6 same request\$4 near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:47
-	10	(("709").CLAS.) and (connect\$3) same automatic\$6 adj2 request\$4 near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:05
-	58	(("709").CLAS.) and (upon or once or when) near4 (connect\$3) with request\$4 near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:51
-	1	(("709").CLAS.) and (upon or once or when) near4 (connect\$3) with request\$4 near6 (information or data) and peer and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:51
-	102	(connect\$3) same automatic\$6 adj2 request\$4 near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:40
-	21	("5049873" "5261044" "5530806" "5572643" "5659732" "5687292" "5721908" "5768508" "5768524" "5768578" "5771226" "5774668" "5774669" "5890172" "5907837" "6006252" "6009459" "6175830" "6108652" "6108686" "6163804").PN.	USPAT	2004/04/30 14:13
-	1	6427165.URPN.	USPAT	2004/04/30 14:39
-	30	(connect\$3) near10 automatic\$6 adj2 request\$4 near6 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:41
-	9	automatic\$6 adj2 request\$4 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:44
-	155	(("709").CLAS.) and (connect\$3) same display\$3 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:44
-	1	(("709").CLAS.) and (connect\$3) same automatic\$5 near display\$3 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:46

-	130	((("709").CLAS.) and (connect\$3) near10 display\$3 near3 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:50
-	13	((("709").CLAS.) and (connect\$3) same display\$3 near6 (connection or load or schedule or classification or category) near2 (information or data) and @ad<20001207) and peer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:46
-	5	((("709").CLAS.) and (connect\$3) near10 display\$3 near3 (speed or load or schedule or classification or category) near2 (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:59
-	3	((("709").CLAS.) and freenet and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:59
-	10	((("709").CLAS.) and ((peer adj peer) or p2p) and (schedule same time same connect\$3) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:05
-	23	((("709").CLAS.) and (schedule near4 time near4 connect\$3) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:14
-	1	((("709").CLAS.) and (interface or gui) same display with (node or computer) adj information and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:16
-	7	((("709").CLAS.) and (application or interface or gui) same display with (node or computer) adj information and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:18
-	9	((("709").CLAS.) and (problem or disadvantage or inefficient) same file adj sharing and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:20
-	3	((("709").CLAS.) and (peer or p2p) same file adj sharing and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:32
-	0	((("709").CLAS.) and (imesh or scourexchange) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:22
-	1	((("709").CLAS.) and (imesh\$4 or scourexchange\$4) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:22
-	7	((("709").CLAS.) and (peer or p2p) same scan and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:32

-	16	((("709").CLAS.) and (peer or p2p) same scan\$4 and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:33
-	2	((("709").CLAS.) and (upon or once or when) adj4 (connect\$3) adj10 automatic\$6 near2 (sen\$4 or transmit\$5) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:53
-	32	((("709").CLAS.) and (connect\$3) adj10 automatic\$6 near2 (sen\$4 or transmit\$5) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:39
-	22	((("709").CLAS.) and (connect\$3) adj10 automatic\$6 near2 (request\$3) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:46
-	1	((("709").CLAS.) and (connect\$3) same automatic\$6 near2 (request\$3) with connection adj (information or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:48
-	9321	(709/223-228).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:48
-	80	((709/223-228).CCLS.) and current adj load and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:49
-	0	((709/223-228).CCLS.) and display\$3 near4 current adj load and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:50
-	1	((709/223-228).CCLS.) and display\$3 same current adj load and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:50
-	10	("4434489" "4847837" "4881230" "5123017" "5159685" "5233688" "5291590" "5293323" "5297248" "5317568").PN.	USPAT	2004/04/30 15:51
-	0	((("709").CLAS.) and (upon or once or when) adj4 (connect\$3) adj10 automatic\$6 near6 (status) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:53
-	8	((("709").CLAS.) and (connect\$3) adj10 automatic\$6 near6 (status) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:55
-	1595	(709/204,205).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:55

-	65	((709/204,205).CCLS.) and automatic\$5 near3 (send\$3 or transmit\$4 or exchange\$3) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 16:23
-	18	((709/204,205).CCLS.) and (connect\$3 or start or begin or contact) same automatic\$5 near3 (send\$3 or transmit\$4 or exchange\$3) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 15:57
-	0	((709/204,205).CCLS.) and display same (node adj content) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 16:24
-	0	((709/204,205).CCLS.) and display\$3 same (node adj content) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 16:24
-	4	(("709").CLAS.) and display\$3 same (node adj content) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 16:29
-	5	("5159669" "5546517" "5572643" "5634062" "5717860").PN.	USPAT	2004/04/30 16:28
-	7	napster.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:06
-	0	6366907.URPN.	USPAT	2004/04/30 16:34
-	4	6094676.URPN.	USPAT	2004/04/30 16:35
-	71	(("709").CLAS.) and node adj attribute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:31
-	42	(("709").CLAS.) and node adj attribute and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:10
-	80	(("709").CLAS.) and request same node adj (characteristic or attribute or information or description or status) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:30
-	29	(("709").CLAS.) and (automatic\$6 or connect\$4) same (exchange\$3 or request\$3) same node adj (characteristic or attribute or information or description or status) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:21
-	71	(("709").CLAS.) and (exchange\$3 or request\$3) near3 node adj (characteristic or attribute or information or description or status) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:22
-	2	(("709").CLAS.) and connect\$3 adj10 (exchange\$3 or request\$3) near3 node adj (characteristic or attribute or information or description or status) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:23

-	21	((("709").CLAS.) and connect\$3 same (exchang\$3 or request\$3) near3 node adj (characteristic or attribute or information or description or status) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:26
-	9	((("709").CLAS.) and (node or peer or computer or terminal) same (exchang\$3 or request\$3 or send\$3 or transmit\$5) adj2 (characteristic or attribute or compatib\$6 or description or status) with regard\$3 and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:29
-	248	((("709").CLAS.) and request same (characteristic or attribute or information or description or status) adj2 node and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 17:31
-	17	((("709").CLAS.) and request same (characteristic or attribute or information or description or status) adj2 peer and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 10:52
-	5	((("709").CLAS.) and request same (compatibility) same (node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:06
-	14	((("709").CLAS.) and discovery adj6 request same (node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:06
-	9	((("709").CLAS.) and (peer or node) same (connect\$3) same (compare or exchange or determine) near4 (compatib\$6 or characteri\$6) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:11
-	254	((("709").CLAS.) and (peer or node) same (connect\$3) same (request or compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:15
-	6	((("709").CLAS.) and (peer or node) same response adj2 (connect\$3) same (request or compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:13
-	6	((("709").CLAS.) and (peer or node) same (connect\$3) same automatic\$6 same (request or compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:20
-	3	((("709").CLAS.) and (peer or node) same (connect\$3) same peer adj peer same (request or compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:21
-	23	((("709").CLAS.) and (peer or node) same (connect\$3) same (request or compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and peer adj peer and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 11:27
-	30	((("709").CLAS.) and (computer or peer or node) near4 (connect\$3) same (detect\$3) near4 (compatib\$6 or characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:02

-	1	((("709").CLAS.) and ((peer adj peer) or p2p) and (unwanted or \$3relevant or wasteful or wasted or unneeded) adj connections and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:03
-	1	((("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3) near4 information adj2 connection and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:09
-	2	("5261044" "5796951").PN.	USPAT	2004/05/03 12:05
-	1	6041349.URPN.	USPAT	2004/05/03 12:06
-	0	((("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3) near4 connection adj information and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:10
-	1	((("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3) same connection adj information and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:10
-	0	((("709").CLAS.) and ((peer adj peer) or p2p) and (view\$3 or display\$3) same connection adj data and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:10
-	18	((("709").CLAS.) and (peer or node or computer) same (view\$3 or display\$3) near6 connection adj (information or status or statistics or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:11
-	38	(peer or node) same (connect\$3) same automatic\$6 same (request or compare or exchange or determine) near6 (compatib\$6 or characteri\$6 or protocol or speed or load or category or topology or connections! or maximum) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 12:22
-	0	((("709").CLAS.) and (connect adj schedule) near5 (optimal or best or favorable) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:22
-	1	((("709").CLAS.) and (connect adj schedule)and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:22
-	1	((("709").CLAS.) and (connect adj schedule) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:22
-	65	((("709").CLAS.) and (connect\$3 near3 schedule) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:22
-	0	((("709").CLAS.) and (connect\$3 near3 schedule) near5 (optimal or best or favorable) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:22

-	1	((("709").CLAS.) and (connect\$3 near3 schedule) same (optimal or best or favorable) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:23
-	11	((("709").CLAS.) and (connect\$3) near4 time near4 (optimal or best or favorable) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:27
-	193	((("709").CLAS.) and (node or computer or peer) same (category or classification) near2 (files! or data or information) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:29
-	14	((("709").CLAS.) and (node or computer or peer) same (category or classification) near2 (files! or data or information) near4 (available or stored) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:33
-	17	((("709").CLAS.) and (node or computer or peer) adj4 (requests or provides or determines or detects) adj4 (type or category or classification) near2 (files! or data or information) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:41
-	198	((("709").CLAS.) and (client or user) same (detect\$3 or determin\$3 or inform\$3) near4 (type or category or classification) near2 (files! or data or information) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:42
-	109	((("709").CLAS.) and (client or user) with (detect\$3 or determin\$3 or inform\$3) near4 (type or category or classification) near2 (files! or data or information) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:47
-	2	((("709").CLAS.) and type adj2 information adj2 available adj2 server and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:48
-	60	((("709").CLAS.) and type adj2 information adj2 available and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:56
-	4	((("709").CLAS.) and identify\$3 near3 type adj2 information adj2 available and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:50
-	0	((("709").CLAS.) and type adj2 information adj2 available adj3 (downloaded or shared) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:57
-	0	((("709").CLAS.) and type adj2 (data or files) adj2 available adj3 (dqnloaded or shared) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:57
-	3	((("709").CLAS.) and type adj2 (data or files or information) adj2 available same (peer or node) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 13:59

-	20	type adj2 (data or files or information) adj2 available same (peer or node) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:00
-	16	((("709").CLAS.) and automatic\$6 near3 (detect\$3 or determin\$3 or request\$3) same (capabilit\$3 or performance) same (node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:07
-	59	((("709").CLAS.) and connect\$3 near5 (detect\$3 or determin\$3 or request\$3) same (capabilit\$3 or performance) same (node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:11
-	5	((("709").CLAS.) and node near2 fan-\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:36
-	41	((("709").CLAS.) and (outgoing and incoming) near2 connections and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:38
-	0	((("709").CLAS.) and number near2 (outgoing and incoming) near2 connections and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:38
-	0	((("709").CLAS.) and total near2 (outgoing and incoming) near2 connections and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:41
-	0	((("709").CLAS.) and (display\$3 or view\$3) near2 (outgoing and incoming) near2 connections and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:41
-	7	((("709").CLAS.) and (display\$3 or view\$3 or show\$3) same (outgoing and incoming) near2 connections and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:04
-	208	((("709").CLAS.) and (display\$3 or view\$3 or show\$3) same (number) adj2 connections and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:04
-	9	((("709").CLAS.) and (display\$3 or view\$3 or show\$3) same (number) adj2 connections same (incoming or outgoing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:06
-	63	((("709").CLAS.) and (display\$3 or view\$3 or show\$3 or monitor\$3) near6 (load or performance) same (incoming or outgoing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:14
-	12	((("709").CLAS.) and (display\$3 or view\$3 or show\$3 or monitor\$3) near6 (load or performance) same (incoming and outgoing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:35

-	0	((("709").CLAS.) and (select\$3 or determin\$3 or choos\$3) near5 based adj2 (load or performance) same (incoming and outgoing) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/05/03 15:17
-	21	("5049873" "5261044" "5530806" "5572643" "5659732" "5687292" "5721908" "5768508" "5768524" "5768578" "5771226" "5774668" "5774669" "5890172" "5907837" "6006252" "6009459" "6175830" "6108652" "6108686" "6163804").PN.		2004/05/03 15:18
-	1	((("709").CLAS.) and (display\$3 or view\$3 or show\$3 or monitor\$3) near6 (topology adj data) same (links! or hops!) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:39
-	2	((("709").CLAS.) and (information near3 snapshot) same (links! or hops!) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:40
-	0	((("709").CLAS.) and (summary near3 (peer or node)) same (links! or hops!) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:41
-	40	((("709").CLAS.) and (summary or thumbnail or snapshot or brief or statement) same connected near2 (node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:46
-	10	((("709").CLAS.) and (within near6 (hops! or links!)) same connected near2 (node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:48
-	7	((("709").CLAS.) and description near3 neighbor\$3 and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:25
-	9	((("709").CLAS.) and describ\$3 near3 neighbor\$3 and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:59
-	22	(peer\$1peer or peer or p2p) adj network and (node adj (information or summary or thumbnail)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:22
-	22	(peer\$1peer or peer or p2p) adj network and (node adj (information or summary or thumbnail or snapshot)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:22
-	122	((("709").CLAS.) and (neighbor\$3 or nodes or peers) near3 (within or deep or depth) same topology and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:28
-	52	((("709").CLAS.) and (neighbor\$3 or nodes or peers) near3 (within or deep or depth) same topology same (information or description or describ\$3) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:37

-	0	((("709").CLAS.) and (neighbor\$3 or nodes or peers) near3 (within or deep or depth) near3 (numera adj (links! or hops!)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:37
-	0	((("709").CLAS.) and (within or deep or depth) near3 (numera adj (links! or hops!)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:37
-	15	((("709").CLAS.) and (within or deep or depth) near3 (number adj (links! or hops!)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:56
-	33	((("709").CLAS.) and (deep or depth) same (nodes or peers) same search\$3 and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 17:01
-	36	((("709").CLAS.) and links same browser same (lookahead or future) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 17:02
-	19	((("709").CLAS.) and (pre\$1 fetch) same (neighbor\$3 or node or peer) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:32
-	20	((("709").CLAS.) and (number adj2 connected adj nodes) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 12:42
-	15	((("709").CLAS.) and peer adj network and (number adj2 connections) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:33
-	8	((("709").CLAS.) and peer adj network and (inform or share) same (node or peer or neighbor) near6 connect\$3 and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:35
-	0	((("709").CLAS.) and (inform or share) adj information adj10 (connect\$3) same (node or peer or neighbor) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:36
-	17	((("709").CLAS.) and (inform\$3 or shar\$3) adj information same (connect\$3) same (node or peer or neighbor) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:43
-	2	((("709").CLAS.) and (other adj connected) near5 (node or peer or neighbor) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:44
-	6	((("709").CLAS.) and peer adj network and (topology) same (monitor\$3 or performance or capabilities) same (connections or connected) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:46

-	1	((("709").CLAS.) and exchange adj (topology) same (monitor\$3 or performance or capabilities) same (connections or connected) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:46
-	25	((("709").CLAS.) and (topology) adj (information or data) same (monitor\$3 or performance or capabilities) same (connections or connected) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:48
-	12	((("709").CLAS.) and (topology) same content same (monitor\$3 or performance or capabilities) same (connections or connected) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:48
-	17	((("709").CLAS.) and (node adj properties) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 12:56
-	2	((("709").CLAS.) and (displays adj2 (connected or connections)) same (type or kind) adj3 (data or information or content) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 12:58
-	61	((("709").CLAS.) and (view\$3 or display\$3) near6 connection adj (information or status or statistics or data) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:04
-	30	((("709").CLAS.) and (view\$3 or display\$3) near6 connection adj (information) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:05
-	80	((("709").CLAS.) and (view\$3 or display\$3 or show\$3 or obtain\$3) near10 connection adj (information) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:08
-	8	((("709").CLAS.) and (view\$3 or display\$3 or show\$3 or obtain\$3) near10 connection adj (information) same (content) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:10
-	3	((("709").CLAS.) and (view\$3 or display\$3 or show\$3 or obtain\$3) near10 connection adj (information) same (range or level or depth or deep) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:11
-	84	((("709").CLAS.) and (peer or node) near6 (range or level or depth or deep) near6 link and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:13
-	25	((("709").CLAS.) and (peer or node) same (user or client) same (specified) near4 (range or level or depth or deep) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:25
-	5	((("709").CLAS.) and (peer or node) same (user or client) same (specified) near10 (links!) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:27

-	65	((("709").CLAS.) and individual adj (peer or node) near5 (information or characteristics or reliability or load or topology or connect\$8 or performance) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:29
---	----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------	------------------